### GENERAL NOTES

- THESE STANDARD NOTES AND PLANS SHALL NOT RELIEVE THE CONTRACTOR OF THE RESPONSIBILITY FOR JOBSITE CONDITIONS DURING THE COURSE OF CONSTRUCTION OR MAINTENANCE WORK, INCLUDING SAFETY OF ALL PERSONS, VEHICLES, AND PROPERTY.
- 2. ALL WORK, MATERIALS, PRACTICES, AND PRINCIPLES SHALL COMPLY WITH THE CALIFORNIA MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) LATEST EDITION.
- 3. THE CALIFORNIA MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) LATEST EDITION, AND THE WORK AREA TRAFFIC CONTROL HANDBOOK (WATCH) LATEST EDITION, SHALL TAKE PRECEDENCE IN THE EVENT OF ANY QUESTION REGARDING THE CONTROL OF THESE
- 4. NO DEVIATIONS OR EXCEPTIONS FROM THESE STANDARD NOTES OR PLANS SHALL BE ALLOWED WITHOUT PRIOR APPROVAL FROM THE PUBLIC WORKS DIRECTOR/CITY ENGINEER.
- 5. CONES AND DELINEATORS SHALL GENERALLY BE PLACED ON EXISTING LANE LINES, EXCEPT AS NECESSARY FOR LANE CLOSURE TAPERS.
- 6. THE CONTRACTOR SHALL BE RESPONSIBLE FOR NOTIFYING THE ADJACENT PROPERTY OWNERS.
- 7. THE CONTRACTOR SHALL PROVIDE ACCESS TO ALL ADJACENT PROPERTIES AT ALL TIMES EXCEPT AS NECESSARY FOR CONSTRUCTION ACTIVITIES IN THE IMMEDIATE VICINITY OF THE WORK AREA.
- 8. CONSTRUCTION OPERATIONS SHALL BE CONDUCTED IN A MANNER SUCH THAT AS LITTLE INCONVENIENCE AS POSSIBLE IS CAUSED TO THE PUBLIC AND ABUTTING PROPERTY OWNERS.
- 9. THE CONTRACTOR SHALL HAVE ALL SIGNS, DELINEATORS, BARRICADES, ETC., PROPERLY INSTALLED PRIOR TO CONSTRUCTION.
- 10. THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING, AT ALL TIMES, ALL SIGNS, DELINEATORS, BARRICADES, ETC., TO ENSURE PROPER FLOW AND SAFETY OF TRAFFIC.
- 11. A MINIMUM LANE WIDTH OF 10'SHALL BE MAINTAINED AT ALL TIMES, NO EXCEPTIONS. WHEN ADJACENT TO CURB LANE, RAISED CURB MEDIANS, OTHER VERTICAL OBSTRUCTION, OR OPPOSING TRAFFIC, THE MINIMUM LANE WIDTH SHALL BE 11'.
- 12. THE CONTRACTOR SHALL UTILIZE FLAG MEN DURING WORK HOURS AS REQUIRED BY THESE STANDARD PLANS AND AS DEEMED NECESSARY BY THE CITY TO ASSIST IN MAINTAINING SAFE TRAFFIC FLOW.
- 13. FLASHING ARROW BOARD (FAB) SHALL BE USED FOR ALL LANE CLOSURES AND SHALL BE SOLAR POWERED.
- 14. THE FIRST SIGN IN A SERIES OF ADVANCED WARNING SIGNS SHALL BE EQUIPPED WITH FLAGS.
- 15. FLASHING YELLOW BEACONS, TYPE B, SHALL BE USED ON ALL BARRICADES THAT PROTECT THE WORK AREA AFTER NORMAL WORKING
- 16. ALL SIGNS SHALL BE REFLECTORIZED AND OF STANDARD SIZES.
- 17. THE CONTRACTOR SHALL BE REQUIRED TO REPLACE STRIPING AND LEGENDS TO THEIR ORIGINAL CONDITION AND EQUIPMENT AFTER COMPLETION OF CONSTRUCTION.
- 18. ALL DELINEATORS SHALL BE 36" MINIMUM PORTABLE, REFLECTORIZED RUBBER GUIDE POST TUBES, ORANGE IN COLOR, WITH WEIGHTED BASES OR SANDBAG RINGS AND SHALL BE KEPT IN THEIR PROPER POSITION AT ALL TIMES, AND SHALL BE REPAIRED, REPLACED, OR CLEANED AS NECESSARY TO PRESERVE THEIR APPEARANCE AND CONTINUITY.
- 19. ALL CONES, SHALL BE 28" MINIMUM, ORANGE IN COLOR, AND SHALL BE KEPT IN THEIR PROPER POSITION AT ALL TIMES, AND SHALL BE REPAIRED, REPLACED, OR CLEANED AS NECESSARY TO PRESERVE THEIR APPEARANCE AND CONTINUITY. ALL CONES SHALL BE FITTED WITH 13" MINIMUM REFLECTIVE SLEEVES FOR NIGHTTIME TRAFFIC CONTROL. MAXIMUM SPACING BETWEEN DELINEATORS SHALL BE 25'.
- 20. AT LEAST EVERY THIRD CONE AND/OR DELINEATOR SHALL HAVE DELINEATOR OR CONE-MOUNTED DIRECTIONAL ARROWS PER THE WORK AREA TRAFFIC CONTROL HANDBOOK (WATCH) LATEST EDITION.
- 21. BARRICADES SHALL BE USED. IN LIEU OF OR IN ADDITION TO RUBBER GUIDE POSTS. AS REQUIRED BY THESE STANDARD PLANS AND AT THE DIRECTION OF THE COUNTY, WHEN THEY ARE INTENDED TO PROVIDE ADDITIONAL EMPHASIS IN AREAS WHERE WORKERS ARE PRESENT.
- 22. C27 (CA) "OPEN TRENCH" SIGNS SHALL BE USED IN CONJUNCTION WITH TYPE II BARRICADES DURING CONSTRUCTION AND NIGHTTIME CLOSURES AS APPLICABLE.
- 23. WHERE LIGHTS ARE USED TO DELINEATE THE TRAVELED WAY THROUGH AND AROUND THE WORK AREA, THEY SHALL BE TYPE C (STEADY
- 24. WHEN A STREET CLOSURE IS APPROVED, THE CONTRACTOR SHALL NOTIFY THE POLICE DEPARTMENT, THE FIRE DEPARTMENT, THE LOCAL TRANSIT DISTRICT, AFFECTED RESIDENTS AND BUSINESSES AT LEAST ONE WEEK IN ADVANCE OF THE CLOSURE.
- 25. ALL STREET ACCESS RESTRICTED BY CONSTRUCTION OR MAINTENANCE ACTIVITIES SHALL BE RESTORED AT THE END OF EACH WORKING DAY UNLESS OTHERWISE APPROVED BY THE PUBLIC WORKS DIRECTOR/CITY ENGINEER
- 26. TEMPORARY "NO STOPPING" SIGNS SHALL BE POSTED 100' APART, AS NECESSARY DURING CONSTRUCTION OPERATIONS. WHEN A TEMPORARY "NO STOPPING" ZONE ON A STREET IS APPROVED BY THE CITY'S REPRESENTATIVE, THE CONTRACTOR SHALL NOTIFY THE POLICE DEPARTMENT AND POST "TOW AWAY, TEMPORARY NO STOPPING" AT LEAST TWO (2) WORKING DAYS IN ADVANCE. THE DURATION OF THE TEMPORARY PARKING RESTRICTION SHALL BE INDICATED ON THE SIGNS.
- 27. WHEN SIGNAL TIMING AND/OR SIGNAL MODIFICATIONS ARE NECESSARY BEFORE OR DURING THE CONSTRUCTION, AND IF APPROVED BY THE TRAFFIC ENGINEER, THE CONTRACTOR SHALL NOTIFY THE CITY TRAFFIC DEPARTMENT AT LEAST THREE (3) WORKING DAYS IN ADVANCE OF THE WORK TO BE DONE IN ORDER TO COORDINATE THE CHANGES. THE CONTRACTOR SHALL PROVIDE THE PERSONNEL AND EQUIPMENT TO MAKE THE SIGNAL MODIFICATIONS; THE CITY SHALL MAKE THE NECESSARY SIGNAL TIMING CHANGES.
- 28. CONTRACTOR SHALL REPLACE ALL TRAFFIC DETECTION DEVICES, SIGNING, STRIPING, MARKINGS, AND LEGENDS DAMAGED DURING
- 29. THESE PLANS INDICATE TRAFFIC CONTROL IN THE WORK AREA DURING CONSTRUCTION ACTIVITIES. ADDITIONAL TRAFFIC CONTROLS, TRAFFIC SIGNS, AND/OR BARRICADES MAY BE NECESSARY OR REQUIRED IN THE FIELD. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PLACEMENT OF ANY ADDITIONAL DEVICES NECESSARY AS DIRECTED BY THE CITY'S REPRESENTATIVE TO ASSURE SAFETY TO THE PUBLIC AT ALL TIMES DURING CONSTRUCTION.
- 30. CONTRACTOR SHALL COMPLY WITH THE REQUIREMENTS OF THE AMERICAN DISABILITY ACT (ADA) AS RELATED TO PEDESTRIAN ACCESS AND SHALL MAINTAIN PEDESTRIAN ACCESS AT ALL TIMES PER ADA REQUIREMENTS.
- 31. INSTALL TEMPORARY NO PARKING SIGNS (IF REQUIRED) 72 HOURS PRIOR TO THE CLOSURE.
- 32. All traffic lanes shall have a minimum of five(5) feet clearance from open excavation and a minimum of two (2) feet from vertical obstructions. Maintain Minimum one lane of traffic in each direction at all times.
- 33. IN ACCORDANCE WITH GENERALLY ACCEPTED CONSTURTION PRACTICE, THE CONTRACTOR SHALL BE SOLELY & COMPLETELY RESPONSIBLE FOR THE CONDITIONS OF THE JOB SITE, INCLUDING THE SAFETY OF ALL PERSONS & PROPERTY DURING PERFOMANCE OF WORK. THE CONTRACTOR SHALL FULLY COMPLY WITH ALL STATE & FEDERAL LAWS, RULES, REGULATIONS & ORDERS RELATING TO SAFETY TO THE PUBLIC AND WORKMEN.


# COUNTY OF RIVERSIDE

## TRAFFIC CONTROL PLANS FOR NORTH SHORE AREA RESURFACING PROJECT



### SHEET INDEX

S. NO.	TC NO.	DESCRIPTION	
01	TC-00	TITLE PAGE	
02	TC-01	PHASE 1: ROAD CLOSURE AT 68TH AVENUE	
03	TC-02	PHASE 2A: ROAD CLOSURE AT VANDER VEER ROAD	
04	TC-02A	PHASE 2B: ROAD CLOSURE AT VANDER VEER ROAD	
05	TC-03	PHASE 2C: ROAD CLOSURE AT VANDER VEER ROAD	
06	TC-03A	PHASE 2D: ROAD CLOSURE AT VANDER VEER ROAD	
07	TC-04	PHASE 4A:ONE-WAY REVERSAL ON EB LANE AT 70TH AVENUE	
08	TC-05	PHASE 4B:ONE-WAY REVERSAL ON WB LANE AT 70TH AVENUE	
09	TC-06	PHASE 5: LANE CLOSURE ON 70TH AVENUE BETWEEN VANDER	
10	TC-07	DETOUR PLAN FOR 70TH AVENUE CLOSURE	
11	TC-08	PHASE 6A: ROAD CLOSURE AT SEAVIEW WAY	
12	TC-08A	PHASE 6B: ROAD CLOSURE AT SEAVIEW WAY	
13	TC-09	PHASE 6C: ROAD CLOSURE AT SEAVIEW WAY	
14	TC-09A	PHASE 6D: ROAD CLOSURE AT SEAVIEW WAY	
15	TC-10	DETOUR PLAN FOR SEAVIEW WAY CLOSURE	
16	TC-11	PHASE 7A:ROAD CLOSURE ON COMMERCE STREET & EO 72ND AVENUE	
17	TC-11A	PHASE 7B:ROAD CLOSURE ON COMMERCE STREET & EO 72ND AVENUE	
18	TC-12	PHASE 7C: ROAD CLOSURE ON VANDER VEER RD SO 70TH AVE	
19	TC-12A	PHASE 7D: ROAD CLOSURE ON VANDER VEER RD SO 70TH AVE	
20	TC-13	PHASE 7E: ROAD CLOSURE ON VANDER VEER RD SO 70TH AVE	
21	TC-13A	PHASE 7F: ROAD CLOSURE ON VANDER VEER RD SO 70TH AVE	
22	TC-14	DETOUR PLAN	
23	TC-15	PHASE 8A:ONE-WAY REVERSAL ON WB LANE AT BAY DRIVE	
24	TC-16	PHASE 8B:ONE-WAY REVERSAL ON EB LANE AT BAY DRIVE	
25	TC-17	PHASE 9: SOFT CLOSURE AT COMPASS DRIVE & 72ND AVENUE	
26	TC-18	PHASE 3A: WESTBOUND LANE CLOSURE ON 70TH AVENUE	
27	TC-19	PHASE 3B: EASTBOUND LANE CLOSURE ON 70TH AVENUE	
28	TC-20	PHASE 10A: NORTHBOUND LANE CLOSURE ON COSTA MESA DRIVE	
29	TC-21	PHASE 10B: SOUTHBOUND LANE CLOSURE ON COSTA MESA DRIVE	



Type I Barricade

Type II Barricade

Type III Barricade





CLIP ON TYPE

TYPE III BARRICADE W/SIGN

TYPE III BARRICADE W/O SIGN TYPE II BARRICADE W/SIGN

TYPE II BARRICADE W/O SIGN

DELINEATOR WITH WHITE REFLECTIVE TAPE

DELINEATOR WITH YELLOW REFLECTIVE TAPE

TRAFFIC CONE WITH CLIP ON SIGN



SIGNALIZED INTERSECTION

| FAB | ARROW PANEL (FLASHING ARROW)

HIGH LEVEL WARNING DEVICE (FLAGTREE)

TANS TOW AWAY NO STOPPING \_\_\_ TO \_\_\_

TANSAT TOW AWAY NO STOPPING ANY TIME

WORK ZONE (ACTIVITY AREA) LIMITS

WORK ZONE (ACTIVITY AREA) LIMITS

WITH FLAGGER

DIRECTION OF TRAFFIC (NOT PAVEMENT MARKING)



ROADWAY DESIGNATION










HUMAYUN AZIZ. P.E.










TRAFFIC CONTROL PLAN NORTH SHORE AREA RESURFACING TITLE SHEET HORIZ. SCALE: 1"= 40' | VERT. SCALE:

TC - 00 SHEET\_**01** OF **29** 










**WORK HOURS:** DURATION: 3 DAYS 7:00AM TO 4:00PM


- 1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.
- 2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
- 3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED.
- 4. CONTRACTOR SHALL PROVIDE FLAGGING TO ASSIST TRAFFIC IF THERE IS ONE LANE.












HUMAYUN AZIZ. P.E.







REVIEWED BY:

TRAFFIC CONTROL PLAN NORTH SHORE AREA RESURFACING

TC - 01


SHEET **02** OF **29** 

PHASE-1: SOFT CLOSURE AT 68TH **AVENUE** 

4080 Lemon Street Riverside, CA 92501 APPR. DATE PH: (951) 955-6880

HORIZ. SCALE: 1"= 40' VERT. SCALE:
























#### DURATION: 3 DAYS **WORK HOURS:** 7:00AM TO 4:00PM

#### NOTES:

- 1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.
- 2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
- 3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED. 4. REMOVE ALL TRAFFIC CONTROL AT THE END OF THE DAY.













HUMAYUN AZIZ. P.E.









TRAFFIC CONTROL PLAN
NORTH SHORE AREA RESURFACING

PHASE-2A: ROAD CLOSURE AT VANDER

TC - 02

SHEET **03** OF **29** 

VEER ROAD

4080 Lemon Street Riverside, CA 92501
PH: (951) 955-6880 HORIZ. SCALE: 1"= 40' VERT. SCALE:

























#### DURATION: 3 DAYS **WORK HOURS:** 7:00AM TO 4:00PM

#### NOTES:

- 1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.
- 2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
- 3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED.
- 4. REMOVE ALL TRAFFIC CONTROL AT THE END OF THE DAY.



















TRAFFIC CONTROL PLAN
NORTH SHORE AREA RESURFACING

HORIZ. SCALE: 1"= 40' VERT. SCALE:

SHEET 04 OF 29

TC - 02A
































### **WORK HOURS:**

### 7:00AM TO 4:00PM

#### NOTES:


- 1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.
- 2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
- 3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED.











HUMAYUN AZIZ. P.E.







NORTH SHORE AREA RESURFACING PHASE-2C: ROAD CLOSURE AT VANDER VEER ROAD

TRAFFIC CONTROL PLAN

HORIZ. SCALE: 1"= 40' VERT. SCALE:

SHEET 05 OF 29






### 7:00AM TO 4:00PM

#### NOTES:


- 1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.
- 2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
- 3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED.




















PHASE-2D: ROAD CLOSURE AT VANDER VEER ROAD HORIZ. SCALE: 1"= 40' VERT. SCALE:

SHEET 06 OF 29

TC - 03A




G20-2














CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
 PROVIDE ACCESS TO THE LOCAL RESIDENTS.



Ground Service Alert of Southern California TWO WORKING DAYS BEFORE YOU DIG







HUMAYUN AZIZ. P.E.



				COUNTY TRANSPORT
				4080 Lemon Street Riverside, CA 92501
₹К	REVISIONS	APPR.	DATE	PH: (951) 955-6880

OUTTY OF RIVERS	COUNTY OF RI	
A DEPTHE	REVIEWED	ВΊ

UNTY OF RIVERSIDE	TRAFFIC CONTROL PLAN
SPORTATON DEPARTMENT	NORTH SHORE AREA RESURFACING
REVIEWED BY:	DHASE AA:ONE WAY DEVEDSAL ON ER

	THAPPIC CONTROL PLAIN	
TC - 0	NORTH SHORE AREA RESURFACING	
07	PHASE 4A:ONE-WAY REVERSAL ON EB	


SHEET 07 OF 29 LANE AT 70TH AVENUE HORIZ. SCALE: 1"= 40' VERT. SCALE:

























REVISIONS




OUNTY OF RIVERSIDE		TRAFFIC CONTROL PLAN
NSPORTATON DE		NORTH SHORE AREA RESURFACING
REVIEWED	BY:	
e, CA 92501	DATE	PHASE 4B:ONE-WAY REVERSAL ON WB LANE AT 70TH AVENUE

HORIZ. SCALE: 1"= 40' VERT. SCALE:


TC - 05

SHEET 08 OF 29












#### NOTES:

1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.

2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.

3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED.

4. REMOVE ALL TRAFFIC CONTROL AT THE END OF THE DAY.




TC - 07















N DEPARTMENT	NORTH SHORE AREA RESUR
VIEWED BY:	DETOUR PLAN FOR 70TH A

DETOUR PLAN FOR 70TH AVENUE CLOSURE HORIZ. SCALE: 1"= 40' VERT. SCALE:


TRAFFIC CONTROL PLAN


















**WORK HOURS:** 

NOTES:


7:00AM TO 4:00PM

1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.

2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.

3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED.


4. REMOVE ALL TRAFFIC CONTROL AT THE END OF THE DAY.



HORIZ. SCALE: 1"= 40' VERT. SCALE:

**DURATION: 3 DAYS** 

TC - 08 SHEET 11 OF 29
























#### WORK HOURS: **DURATION: 3 DAYS** 7:00AM TO 4:00PM


#### NOTES:

1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.

2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.

3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED.


4. REMOVE ALL TRAFFIC CONTROL AT THE END OF THE DAY.

















TRAFFIC CONTROL PLA
NORTH SHORE AREA RESURFACING

PHASE 6B: ROAD CLOSURE AT SEAVIEW

TC - 08A

HORIZ. SCALE: 1"= 40' VERT. SCALE:



























#### DURATION: 3 DAYS **WORK HOURS:** 7:00AM TO 4:00PM

### NOTES:


- 1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.
- 2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
- 3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED.
- 4. REMOVE ALL TRAFFIC CONTROL AT THE END OF THE DAY.














HUMAYUN AZIZ. P.E.







ON DEPARTMENT	NORTH SHORE AREA RESURFACING	
REVIEWED BY:	PHASE 6C: ROAD CLOSURE AT SEAVIEW WAY	


TRAFFIC CONTROL PLAN


HORIZ. SCALE: 1"= 40' VERT. SCALE:

SHEET 13 OF 29



### **NOTE: SEE DETOUR ON SHEET 15**




















REVIEWED BY:


NORTH SHORE AREA RESURFACING PHASE 6D: ROAD CLOSURE AT SEAVIEW WAY

HORIZ. SCALE: 1"= 40' VERT. SCALE:

TRAFFIC CONTROL PLAN


SHEET 14 OF 29


TC - 09A

























V OF MIVERED IN	COUNTY OF RIVERSIDE TRANSPORTATION DEPARTMENT
ATION USE	REVIEWED BY:


TRAFFIC CONTROL PLAN
NORTH SHORE AREA RESURFACING
DETOUR PLAN FOR SEAVIEW WAY CLOSURE


HORIZ. SCALE: 1"= 40' VERT. SCALE:





















HUMAYUN AZIZ. P.E.









4. REMOVE ALL TRAFFIC CONTROL AT THE END OF THE DAY.

TRAFF	IC CONTROL PLAN
NORTH S	SHORE AREA RESURFACING


HORIZ. SCALE: 1"= 40' VERT. SCALE:














DURATION: 3 DAYS **WORK HOURS:** 7:00AM TO 4:00PM

#### NOTES:


- 1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.
- 2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
- 3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED.
- 4. REMOVE ALL TRAFFIC CONTROL AT THE END OF THE DAY.











HUMAYUN AZIZ. P.E.



THE TOTAL PROPERTY OF THE PARTY	
4080 Lemon Street Riverside, CA 925	92501
MARK REVISIONS APPR. DATE PH: (951) 955-6880	



TRAFFIC CONTROL PLAN
NORTH SHORE AREA RESURFACING


HORIZ. SCALE: 1"= 40' VERT. SCALE:

SHEET 17 OF 29

TC - 11A







#### **WORK HOURS:**

DURATION: 3 DAYS


### 7:00AM TO 4:00PM

#### NOTES:

1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.

- 2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
- 3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED.


4. REMOVE ALL TRAFFIC CONTROL AT THE END OF THE DAY.














HUMAYUN AZIZ. P.E.



7	CODY ERAUT (909) 266-4708 CODY@VANCECORP.NET 459 EGAN AVENUE, BEAUMONT,CA 92223		
		-	

		COUNTY TRANSPORT
		4080 Lemon Street Riverside, CA 92501
APPR.	DATE	PH: (951) 955-6880

REVISIONS



REVIEWED BY:


TRAFFIC CONTROL PLAN NORTH SHORE AREA RESURFACING

PHASE 7C: ROAD CLOSURE ON VANDER VEER RD SO 70TH AVENUE

HORIZ. SCALE: 1"= 40' VERT. SCALE:

SHEET 18 OF 29








#### NOTES:

1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.

2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.

3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED.


4. REMOVE ALL TRAFFIC CONTROL AT THE END OF THE DAY.













AUT RP.NET , BEAUMONT,CA 92223					4080 Lemon Street Riverside, CA 92501
	MARK	REVISIONS	APPR.	DATE	PH: (951) 955-6880




TRAFFIC CONTROL PLAN
NORTH OHORE AREA REQUIREACING
NORTH SHORE AREA RESURFACING


PHASE 7D: ROAD CLOSURE ON VANDER VEER RD SO 70TH AVENUE

HORIZ. SCALE: 1"= 40' VERT. SCALE:

SHEET 19 OF 29

TC - 12A










Ground Service Alert of Southern California TWO WORKING DAYS BEFORE YOU DIG








HUMAYUN AZIZ. P.E.







**WORK HOURS:** 

NOTES:

TRAFFIC CONTROL PLAN
NORTH SHORE AREA RESURFACING

HORIZ. SCALE: 1"= 40' VERT. SCALE:

**DURATION: 3 DAYS** 

PHASE 7E: ROAD CLOSURE ON VANDER VEER RD SO 70TH AVE

SHEET 20 OF 29

TC - 13

1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.

7:00AM TO 4:00PM

2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.

3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED.


4. REMOVE ALL TRAFFIC CONTROL AT THE END OF THE DAY.











## 7:00AM TO 4:00PM

#### NOTES:

- 1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.
- 2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
- 3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED.


4. REMOVE ALL TRAFFIC CONTROL AT THE END OF THE DAY.

**DURATION: 3 DAYS** 









HUMAYUN AZIZ. P.E.



				40 PH
MARK	PEVISIONS	ADDR	DATE	PH




TRAFFIC CONTROL PLAN
NORTH SHORE AREA RESURFACING

SHEET 21 OF 29

TC - 13A

PHASE 7F: ROAD CLOSURE ON VANDER VEER RD SO 70TH AVE 4080 Lemon Street Riverside, CA 92501 PH: (951) 955-6880 HORIZ. SCALE: 1"= 40' VERT. SCALE:





SC3 (CA)










**WORK HOURS:** 

**DURATION: 3 DAYS** 

### 7:00AM TO 4:00PM

#### NOTES:

- 1. ACCESS TO DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES.
- 2. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
- 3. FLAGGER TO ASSIST PEDESTRIAN CROSSING AS REQUIRED.
- 4. REMOVE ALL TRAFFIC CONTROL AT THE END OF THE DAY.














HUMAYUN AZIZ. P.E.









TRAFFIC CONTROL PLAN TC - 14 NORTH SHORE AREA RESURFACING


DETOUR PLAN

SHEET 22 OF 29

HORIZ. SCALE: 1"= 40' VERT. SCALE:




G20-2






CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
 PROVIDE ACCESS TO THE LOCAL RESIDENTS.












HUMAYUN AZIZ. P.E.







TRAFFIC CONTROL PLAN NORTH SHORE AREA RESURFACING


HORIZ. SCALE: 1"= 40' VERT. SCALE:

TC - 15 PHASE 8A:ONE-WAY REVERSAL ON WB LANE AT BAY DRIVE


SHEET 23 OF 29







CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
 PROVIDE ACCESS TO THE LOCAL RESIDENTS.






G20-2







HUMAYUN AZIZ. P.E.



				1
				] ,
				] '
				-
				408 PH:
MARK	REVISIONS	APPR.	DATE	PH:






NORTH SHORE AREA RESURFACING


PHASE 8B:ONE-WAY REVERSAL ON


TC - 16

SHEET 24 OF 29

HORIZ. SCALE: 1"= 40' VERT. SCALE:




























### **WORK HOURS:** 7:00AM TO 4:00PM NOTES:



1. ACCESS TO CROSSWALKS,ENTRANCE,DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
 PROVIDE ACCESS TO THE LOCAL RESIDENTS.
















		COUNTY TRANSPORT
		4080 Lemon Street Riverside, CA 92501
APPR.	DATE	PH: (951) 955-6880

REVISIONS



= 40'	SCALE 1" =
	TRAFFIC CONTROL PLAN
TC - 20	NORTH SHORE AREA RESURFACING

**DURATION: 3 DAYS** 

PHASE 10A: NORTHBOUND LANE CLOSURE ON COSTA MESA DRIVE HORIZ. SCALE: 1"= 40' VERT. SCALE:

SHEET 28 OF 29

































/ ED ALIT				
Y ERAUT				
4708				
ANCECORP.NET I AVENUE, BEAUMONT,CA 92223				
TAVENUE, BEAUNIONT, CA 92223				
	MARK	REVISIONS	APPR.	DATE





**WORK HOURS:** 

NOTES:

1. ACCESS TO CROSSWALKS,ENTRANCE,DRIVEWAYS AND SIDE STREETS MUST BE MAINTAINED AT ALL TIMES. CONTACT PROPERTY OWNER(S) 72 HOURS PRIOR TO START OF WORK.
 PROVIDE ACCESS TO THE LOCAL RESIDENTS. TRAFFIC CONTROL PLAN

TC - 21

SHEET 29 OF 29

DURATION: 3 DAYS

HORIZ. SCALE: 1"= 40' VERT. SCALE:



7:00AM TO 4:00PM